

# DRIED APRICOTS -NATURAL- SPECIFICATIONS STANDARD QUALITY (FANCY)

Doküman Adı : SP.005.01 Yayın Tarihi : 01.08.2007 Revizyon Tarihi : 02.07.2012

Revizyon No : 03 Sayfa No : 1/4

# 1. Product Description

Whole Pitted, Unsulphured, dried, Malatya (Turkiye) apricots. Dried apricots, fruit of the apricot tree (Prunus armeniaca) that have been naturally sun dried, pitted, whole. They will be practically free from all external and internal defects such as mould growth, infestation and foreign inclduing apricot stone.

#### 2. Sensority

3. Appearance / Colour : Sensority

Appearance / Colour : Typical Turkish apricots

Consistency : Fleshy, with elastic or flexible flesh

Smell and Aroma : Characteristic apricot smell

Taste : Characteristic apricot taste

# 4. Quality and Tolerances

# 4.1. Physical Requirements

Size: (Dried apricots according to the Turkish Standard No. 485.)

Size #	Number of Fruits /kg
1	81-100
2	101-120
3	121-140
4	141-160
5	161-180
6	181-200
7	201-220
8	>221

Addition Decleration: jumbo(0) size is up to 80 count/kg

Moisture: Max 25% acc DF Tester of California Dried Fruits Ass.

4.2. Chemical Requirements

Sulphur Di Oxide : Not dedected any

APPROVED BY

Bülent UYAN

O.C.Manager (Chemistry Engineer)

Date: 22.02.2013

Signature:

TURKEY



#### DRIED APRICOTS -NATURAL- SPECIFICATIONS STANDARD QUALITY (FANCY)

Doküman Adı

: SP.005.01

Yayın Tarihi Revizyon Tarihi : 02.07.2012

01.08.2007

Revizyon No Sayfa No

: 03 : 2/4

### 4.3. Microbiological Requirements

**Total Plate Count** 

: < 1x104 cfu/g

Mould

: < 1000 cfu/g

Yeast

: < 1000 cfu/g

Salmonella spp

: Negative in 25gr

Aflatoxin B1

B1 <2 ppb

Aflatoxin B1 +B2+G1+G2

Total <4 ppb

#### 4.4. Serious Damage

Discoloured, Sunburn

Spotty berries

Hail Marks

Imbedded light dirt(<2mm surface area) Heavy dirt (>2mm surface area) insect damage and dead parasit

Fermented berries

Mould

Foreign Matter

Max. 8%by wt

Max. 5%by wt

Max. 6%by wt

Max. 3%by wt Max. 5%by wt

Max. 2%by wt

Absent Absent

Max. 0,5 %by wt

Maximum tolerance for combined defects

Max. 15%

by wt

# b) Maximum defects that are not within the total tolerance limits

Pit&Pit Fragments

Max. 2-3 pieces per tone

Non whole apricots

Max.2%by wt

Unripe Fruits

Max.4%by wt

# \*\*\*Metal, glass, and suchlike hard material are not allowable within the foreign matter tolerance limits.

\*\*\*\*\* Glass, pieces of metal, stones, hard plastic

Max. 0 %by wt \*\*\*\*

#### \*\*\*Spotty Fruits:

Dried apricots with more than 15 spots in one side, with each being bigger than 1 mm in diameter and each having darker colour than the the fruit itself

APPROVED BY

Bülent UYAN

O.C.Manager (Chemistry Engineer)

Date: 22.02.2013

Signature:..



## DRIED APRICOTS -NATURAL- SPECIFICATIONS STANDARD QUALITY (FANCY)

Doküman Adı SP.005.01 Yayın Tarihi

: 01.08.2007

Revizyon Tarihi : 02.07.2012 : 03 Revizyon No

: 3/4 Sayfa No

# 3.Packing&Labeling:

New and clean packages. Use of non-polluting packing material. Marks have to be very properly. Bulk packings are cartons of each 12,5kgs, 5 kgs net or 4,75kgs net. Small retails packs are also available.

Inner packaging

: Food Grade Poly liners

Outer packaging

: Corrugated cardboard.

Labeling

Methode of closure : Tape, No use of any staples. :Product name, Origin ,batch code,Class ,Size, net weight,date of production and

Best before date... e.t.c.

4.Metal Dedection:

All products shall be checked by in-line metal detectors to assure absence of ferrous up to max. 1mm, non-ferrous up to max. 1.5mm and stainless steel up to max 2mm.

# 5. Nutrutional Information per 100g (Data source : USDA National Nutrient Database for Standard Reference, Release 20,2009)

Nutrient	Units	Value per 100 grams	
Proximates			
Energy	kJ	1009	
Protein	g	3.39	
Saturated Fat	g	0.00	
Carbohydrate	g	62.64	
Sodium (mg)	g	10.00	
Potasium (mg)	g	1162.00	
Dietary Fiber(g)	g	7.30	

APPROVED BY

Bülent UYAN

O.C.Manager (Chemistry Engineer)

Date: 22.022013

Signature:



#### DRIED APRICOTS -NATURAL- SPECIFICATIONS STANDARD QUALITY (FANCY)

Doküman Adı : SP.005.01 Yayın Tarihi : 01.08.2007

Revizyon Tarihi : 02.07.2012

Revizyon No : 03 Sayfa No : 4 / 4

#### 6. Storage & Transportation

Please store at 45 F / 8  $^{\circ}$ C in dry area . Rotate in stock. Rotate stock by using oldest first (FIFO). Avoid any strong odours. storage area must be free of vermin and toxic chemicals.

The means of transport must meet the technical and hygiene conditions . Transport conditions have to guarantee the integrity and quality of the goods that has to be protected from atmospheric agents, infestation, condensation, dust and from everything that can jeopardize the quality.

#### 7. Shelf life

1 year under above storage & transport conditions.

APPROVED BY

Bülent UYAN

Q.C.Manager (Chemistry Engineer)

Date: 2202.2013

Signature:.